ELSEVIER

Hearing Research 156 (2001) 143

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 156

Abbas, P.J., see Zha, X.-M. (156) 53

Bedenbaugh, P.H., see Cheung, S.W. (156) 115
Bishop, J.F., see Zha, X.-M. (156) 53
Bobbin, R.P.
PPADS, an ATP antagonist, attenuates the effects of a moderately intense sound on cochlear mechanics (156) 10

Chen, Y.-S., see Hsu, C.-J. (156) 95
Cheung, S.W., Nagarajan, S.S., Bedenbaugh, P.H., Schreiner, C.E., Wang, X. and Wong, A.
Auditory cortical neuron response differences under isoflurane versus pentobarbital anesthesia (156) 115
Choufani, G., see Simon, P. (156) 1

Danguy, A., see Simon, P. (156) 1
Darro, F., see Simon, P. (156) 1
Decaestecker, C., see Simon, P. (156) 1
Delbrouck, C., see Simon, P. (156) 1

Felix, H., see Meyer zum Gottesberge, A.M. (156) 69

Gabius, H.-J., see Simon, P. (156) 1
Green, S.H., see Zha, X.-M. (156) 53

Hansen, M.R., see Zha, X.-M. (156) 53
Hassid, S., see Simon, P. (156) 1
Henson, M.M., see Pace, A.J. (156) 17
Henson Jr., O.W., see Pace, A.J. (156) 17
Hine, J.E., Ho, C.-T., Slaven, A. and Thornton, A.R.D.
Comparison of transient evoked otoacoustic emission thresholds recorded conventionally and using maximum length sequences (156) 104
Ho, C.-T., see Hine, J.E. (156) 104
Hsu, C.-J., Tan, C.-T., Shau, W.-Y., Chen, Y.-S., Yeh, T.-H. and Lin-Shiau, S.Y.
Na^+,K^+-ATPase and Ca^{2+}-ATPase activities in the cochlear lateral wall following surgical induction of hydrops (156) 95

Kaltner, H., see Simon, P. (156) 1
Kemmer, M. and Vater, M.
Cellular and subcellular distribution of AMPA-type glutamate receptor subunits and metabotropic glutamate receptor 1α in the cochlear nucleus of the horseshoe bat (*Rhinolophus rouxi*) (156) 128
Kiss, R., see Simon, P. (156) 1
Koller, B.H., see Pace, A.J. (156) 17

Lin-Shiau, S.Y., see Hsu, C.-J. (156) 95
Lonsbury-Martin, B.L., see Vázquez, A.E. (156) 31
Luebke, A.E., see Vázquez, A.E. (156) 31

Madden, V.J., see Pace, A.J. (156) 17
Martin, G.K., see Vázquez, A.E. (156) 31
May, B.J., see Ngan, E.M. (156) 44

Meyer zum Gottesberge, A.M., Felix, H., Reuter, A. and Weiher, H.
Ultrastructural and physiological defects in the cochlea of the Mpv17 mouse strain. A comparison between young and old adult animals (156) 69
Monsivais, P., see Pantelias, A.A. (156) 81
Mouradian, M.M., see Zha, X.-M. (156) 53

Nagarajan, S.S., see Cheung, S.W. (156) 115
Ngan, E.M. and May, B.J.
Relationship between the auditory brainstem response and auditory nerve thresholds in cats with hearing loss (156) 44

Pace, A.J., Madden, V.J., Henson Jr., O.W., Koller, B.H. and Henson, M.M.
Ultrastructure of the inner ear of NKCC1-deficient mice (156) 17
Pantelias, A.A., Monsivais, P. and Rubel, E.W.
Tonotopic map of potassium currents in chick auditory hair cells using an intact basilar papilla (156) 81

Reuter, A., see Meyer zum Gottesberge, A.M. (156) 69
Rubel, E.W., see Pantelias, A.A. (156) 81

Salmon, I., see Simon, P. (156) 1
Schreiner, C.E., see Cheung, S.W. (156) 115
Shau, W.-Y., see Hsu, C.-J. (156) 95
Simon, P., Decaestecker, C., Choufani, G., Delbrouck, C., Danguy, A., Salmon, I., Zick, Y., Kaltner, H., Hassid, S., Gabius, H.-J., Kiss, R. and Darro, F.
The levels of retinoid RARβ receptors correlate with galectin-1, -3 and -8 expression in human cholesteatomas (156) 1
Slaven, A., see Hine, J.E. (156) 104

Tan, C.-T., see Hsu, C.-J. (156) 95
Thornton, A.R.D., see Hine, J.E. (156) 104

Vater, M., see Kemmer, M. (156) 128
Vázquez, A.E., Luebke, A.E., Martin, G.K. and Lonsbury-Martin, B.L.
Temporary and permanent noise-induced changes in distortion product otoacoustic emissions in CBA/CaJ mice (156) 31
Victoria, L., see Zha, X.-M. (156) 53

Wang, X., see Cheung, S.W. (156) 115
Weiher, H., see Meyer zum Gottesberge, A.M. (156) 69
Wong, A., see Cheung, S.W. (156) 115

Yeh, T.-H., see Hsu, C.-J. (156) 95

Zha, X.-M., Bishop, J.F., Hansen, M.R., Victoria, L., Abbas, P.J., Mouradian, M.M. and Green, S.H.
BDNF synthesis in spiral ganglion neurons is constitutive and CREB-dependent (156) 53
Zick, Y., see Simon, P. (156) 1

PII: S0378-5955(01)00286-6

ELSEVIER

Hearing Research 156 (2001) 144–146

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 156

Acetylcholinesterase
Noise damage; Cochlea; Distortion product otoacoustic emission; Mouse; Efferent innervation (Vázquez, A.E. (156) 31)

Alport syndrome
Kidney–inner ear relationship; Peroxisome; Stria vascularis; Hair cell; Intermediate cell; Basement membrane; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Anesthesia
Auditory cortex; Isoflurane; Pentobarbital; Frequency tuning curve; Cat (Cheung, S.W. (156) 115)

Apoptosis
Cholesteatoma; Recurrence; Galectin; Retinoic acid receptor (Simon, P. (156) 1)

Auditory
Excitatory amino acid; Immunocytochemistry; Ultrastructure; Electron microscopy; Echolocation (Kemmer, M. (156) 128)

Auditory brainstem response
Sensorineural hearing loss; Auditory nerve fiber; Off-frequency listening (Ngan, E.M. (156) 44)

Auditory cortex
Isoflurane; Pentobarbital; Anesthesia; Frequency tuning curve; Cat (Cheung, S.W. (156) 115)

Auditory nerve fiber
Sensorineural hearing loss; Auditory brainstem response; Off-frequency listening (Ngan, E.M. (156) 44)

Autocrine mechanism
Promoter region; Brain-derived neurotrophic factor; Cell survival; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase (Zha, X.-M. (156) 53)

Basement membrane
Kidney–inner ear relationship; Peroxisome; Stria vascularis; Hair cell; Intermediate cell; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Basilar papilla
Potassium current; Hair cell physiology; Patch clamp (Pantelias, A.A. (156) 81)

Brain-derived neurotrophic factor
Promoter region; Cell survival; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Ca^{2+}/calmodulin-dependent protein kinase
Promoter region; Brain-derived neurotrophic factor; Cell survival; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Autocrine mechanism (Zha, X.-M. (156) 53)

Ca^{2+}/cyclic AMP response element binding protein
Promoter region; Brain-derived neurotrophic factor; Cell survival; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Ca^{2+}-ATPase
Na^{+},K^{+}-ATPase; Microcolorimetric assay; Endolymphatic hydrops (Hsu, C.-J. (156) 95)

Cat
Auditory cortex; Isoflurane; Pentobarbital; Anesthesia; Frequency tuning curve (Cheung, S.W. (156) 115)

Cell survival
Promoter region; Brain-derived neurotrophic factor; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Cholesteatoma
Recurrence; Apoptosis; Galectin; Retinoic acid receptor (Simon, P. (156) 1)

Cochlea
Noise damage; Distortion product otoacoustic emission; Mouse; Acetylcholinesterase; Efferent innervation (Vázquez, A.E. (156) 31)

Detection threshold
Evoked otoacoustic emission; Maximum length sequence (Hine, J.E. (156) 104)

Distortion product
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid; Intense tone; Noise; Ototoxicity (Bobbin, R.P. (156) 10)

Distortion product otoacoustic emission
Noise damage; Cochlea; Mouse; Acetylcholinesterase; Efferent innervation (Vázquez, A.E. (156) 31)

Echolocation
Excitatory amino acid; Immunocytochemistry; Ultrastructure; Electron microscopy; Auditory (Kemmer, M. (156) 128)

PII: S0378-5955(01)00288-X

Efferent innervation
Noise damage; Cochlea; Distortion product otoacoustic emission; Mouse; Acetylcholinesterase (Vázquez, A.E. (156) 31)

Electron microscopy
Excitatory amino acid; Immunocytochemistry; Ultrastructure; Echolocation; Auditory (Kemmer, M. (156) 128)

Endolymphatic hydrops
Ca^{2+}-ATPase; Na^+,K^+-ATPase; Microcolorimetric assay (Hsu, C.-J. (156) 95)

Evoked otoacoustic emission
Maximum length sequence; Detection threshold (Hine, J.E. (156) 104)

Excitatory amino acid
Immunocytochemistry; Ultrastructure; Electron microscopy; Echolocation; Auditory (Kemmer, M. (156) 128)

Frequency tuning curve
Auditory cortex; Isoflurane; Pentobarbital; Anesthesia; Cat (Cheung, S.W. (156) 115)

Galectin
Cholesteatoma; Recurrence; Apoptosis; Retinoic acid receptor (Simon, P. (156) 1)

Gene expression regulation
Promoter region; Brain-derived neurotrophic factor; Cell survival; Spiral ganglion neuron; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Hair cell
Kidney–inner ear relationship; Peroxisome; Stria vascularis; Intermediate cell; Basement membrane; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Hair cell physiology
Potassium current; Basilar papilla; Patch clamp (Pantelias, A.A. (156) 81)

Immunocytochemistry
Excitatory amino acid; Ultrastructure; Electron microscopy; Echolocation; Auditory (Kemmer, M. (156) 128)

Inner ear
NKCC1; Ion transport; Reissner's membrane; Knockout mouse (Pace, A.J. (156) 17)

Intense tone
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid; Distortion product; Noise; Ototoxicity (Bobbin, R.P. (156) 10)

Intermediate cell
Kidney–inner ear relationship; Peroxisome; Stria vascularis; Hair cell; Basement membrane; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Ion transport
NKCC1; Reissner's membrane; Inner ear; Knockout mouse (Pace, A.J. (156) 17)

Isoflurane
Auditory cortex; Pentobarbital; Anesthesia; Frequency tuning curve; Cat (Cheung, S.W. (156) 115)

Kidney–inner ear relationship
Peroxisome; Stria vascularis; Hair cell; Intermediate cell; Basement membrane; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Knockout mouse
NKCC1; Ion transport; Reissner's membrane; Inner ear (Pace, A.J. (156) 17)

Maximum length sequence
Evoked otoacoustic emission; Detection threshold (Hine, J.E. (156) 104)

Microcolorimetric assay
Ca^{2+}-ATPase; Na^+,K^+-ATPase; Endolymphatic hydrops (Hsu, C.-J. (156) 95)

Mouse
Noise damage; Cochlea; Distortion product otoacoustic emission; Acetylcholinesterase; Efferent innervation (Vázquez, A.E. (156) 31)

Na^+,K^+-ATPase
Ca^{2+}-ATPase; Microcolorimetric assay; Endolymphatic hydrops (Hsu, C.-J. (156) 95)

NKCC1
Ion transport; Reissner's membrane; Inner ear; Knockout mouse (Pace, A.J. (156) 17)

Noise
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid; Distortion product; Intense tone; Ototoxicity (Bobbin, R.P. (156) 10)

Noise damage
Cochlea; Distortion product otoacoustic emission; Mouse; Acetylcholinesterase; Efferent innervation (Vázquez, A.E. (156) 31)

Off-frequency listening
Sensorineural hearing loss; Auditory brainstem response; Auditory nerve fiber (Ngan, E.M. (156) 44)

Ototoxicity
Pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid; Distortion product; Intense tone; Noise (Bobbin, R.P. (156) 10)

Patch clamp
Potassium current; Basilar papilla; Hair cell physiology (Pantelias, A.A. (156) 81)

Pentobarbital
Auditory cortex; Isoflurane; Anesthesia; Frequency tuning curve; Cat (Cheung, S.W. (156) 115)

Peroxisome
Kidney–inner ear relationship; Stria vascularis; Hair cell; Intermediate cell; Basement membrane; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Potassium current
Basilar papilla; Hair cell physiology; Patch clamp (Pantelias, A.A. (156) 81)

Promoter region
Brain-derived neurotrophic factor; Cell survival; Spiral ganglion neuron; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Pyridoxal-phosphate-6-azophenyl-2′,4′-disulphonic acid
Distortion product; Intense tone; Noise; Ototoxicity (Bobbin, R.P. (156) 10)

Recurrence
Cholesteatoma; Apoptosis; Galectin; Retinoic acid receptor (Simon, P. (156) 1)

Reissner's membrane
NKCC1; Ion transport; Inner ear; Knockout mouse (Pace, A.J. (156) 17)

Retinoic acid receptor
Cholesteatoma; Recurrence; Apoptosis; Galectin (Simon, P. (156) 1)

Sensorineural hearing loss
Auditory brainstem response; Auditory nerve fiber; Off-frequency listening (Ngan, E.M. (156) 44)

Spiral ganglion
Kidney–inner ear relationship; Peroxisome; Stria vascularis; Hair cell; Intermediate cell; Basement membrane; Alport syndrome (Meyer zum Gottesberge, A.M. (156) 69)

Spiral ganglion neuron
Promoter region; Brain-derived neurotrophic factor; Cell survival; Gene expression regulation; Ca^{2+}/cyclic AMP response element binding protein; Ca^{2+}/calmodulin-dependent protein kinase; Autocrine mechanism (Zha, X.-M. (156) 53)

Stria vascularis
Kidney–inner ear relationship; Peroxisome; Hair cell; Intermediate cell; Basement membrane; Alport syndrome; Spiral ganglion (Meyer zum Gottesberge, A.M. (156) 69)

Ultrastructure
Excitatory amino acid; Immunocytochemistry; Electron microscopy; Echolocation; Auditory (Kemmer, M. (156) 128)